



## AIHA Laboratory Accreditation Programs, LLC

*acknowledges that*

### **Aerobiology Laboratory Associates**

7184 North Park Drive, Pennsauken, NJ 08109

Laboratory ID: 102747

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC accreditation to the ISO/IEC 17025:2005 international standard, *General Requirements for the Competence of Testing and Calibration Laboratories* in the following:

#### **LABORATORY ACCREDITATION PROGRAMS**

- |  |                                      |
|--|--------------------------------------|
| <input type="checkbox"/> INDUSTRIAL HYGIENE                    | Accreditation Expires:               |
| <input type="checkbox"/> ENVIRONMENTAL LEAD                    | Accreditation Expires:               |
| <input checked="" type="checkbox"/> ENVIRONMENTAL MICROBIOLOGY | Accreditation Expires: July 01, 2019 |
| <input type="checkbox"/> FOOD                                  | Accreditation Expires:               |
| <input type="checkbox"/> UNIQUE SCOPES                         | Accreditation Expires:               |

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached **Scope of Accreditation**. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2005 and AIHA-LAP, LLC requirements. This certificate is not valid without the attached **Scope of Accreditation**. Please review the AIHA-LAP, LLC website ([www.aihaaccreditedlabs.org](http://www.aihaaccreditedlabs.org)) for the most current Scope.

William Walsh, CIH  
Chairperson, Analytical Accreditation Board

Cheryl O. Morton  
Managing Director, AIHA Laboratory Accreditation Programs, LLC



## AIHA Laboratory Accreditation Programs, LLC SCOPE OF ACCREDITATION

### Aerobiology Laboratory Associates

7184 North Park Drive, Pennsauken, NJ 08109

Laboratory ID: **102747**

Issue Date: 09/29/2017

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

### Environmental Microbiology Laboratory Accreditation Program (EMLAP)

**Initial Accreditation Date: 07/01/2000**

EMLAP Category	Field of Testing (FoT)	Method	Method Description <i>(for internal methods only)</i>
<b>Fungal</b>	Air - Culturable	SOP 3.2	Total Fungal Count Air Cultures
	Bulk - Culturable	SOP 3.4	Total Fungal Count Bulk Cultures
	Surface - Culturable	SOP 3.3	Total Fungal Count Wipe Cultures
	Air - Direct Examination	SOP 3.8	Non-Viable Spore Trap Analysis
	Bulk - Direct Examination	SOP 3.7	Direct Microscopic Exam for the Identification of Fungi
	Surface - Direct Examination	SOP 3.7	Direct Microscopic Exam for the Identification of Fungi
<b>Bacterial</b>	Air - Culturable	SOP 2.2	Total Bacterial Count Air Cultures
	Bulk - Culturable	SOP 2.4	Total Bacterial Count Bulk Cultures
	Surface - Culturable	SOP 2.3	Total Bacterial Count Wipe Cultures
	Legionella	SOP 2.35	Legionella Culture Filtration

A complete listing of currently accredited Environmental Microbiology laboratories is available on the AIHA-LAP, LLC website at: <http://www.aihaaccreditedlabs.org>

Effective: 03/12/2013

102747\_Scope\_EMLAP\_2017\_09\_29

Page 1 of 1



June 28, 2019

Laboratory ID: 102747

Hilisa Esteban  
Aerobiology Laboratory Associates  
7184 North Park Drive  
Pennsauken, NJ 08109

Dear Dr. Esteban:

AIHA Laboratory Accreditation Programs, LLC (AIHA-LAP, LLC) has approved an extension to your laboratory's current certificate of accreditation in the Environmental Microbiology Accreditation Program (EMLAP). This extension will expire on September 01, 2019. Remember that your laboratory must maintain proficiency per Policy Module 6 in order for the new certificate to be issued.

Your laboratory remains an accredited laboratory in EMLAP. Please keep a copy of this letter with your expired certificate. If you have questions or concerns, please feel free to contact Beth Durman, Laboratory Accreditation Specialist at (703) 846-0719.

Sincerely,

A handwritten signature in cursive script that reads "Cheryl O. Morton".

Cheryl O. Morton  
Managing Director  
AIHA Laboratory Accreditation Programs, LLC